

Acoustical Tee


Pages 57-70




Page 58



Page 58




Page 58



Page 58




Page 59




Page 60




Page 61




Page 62




Page 62




Page 62




Page 63



Page 63



Page 63




Page 64




Page 65




Page 65




Page 66




Page 66




Page 67




Page 67



Page 68




Page 68



Page 68




Page 69



Page 69

Steel City® Spring Steel Fasteners

Acoustical Tee



Acoustical Tee

Features

- Allows positioning of fixture or box anywhere across a 24" span.
- Hanger comes complete with THC box mounting clip and 1/4"-20 screw.
- Drop wire holes in tee clips allows the clips to be supported from the main structure.
- Part includes dual height feature which allows 1-1/2" deep electrical box to be mounted flush with tile or offset 3/4" for plaster ring.
- The series includes bar hanger THC clip and 1/4"-20 x 38" screw.




Fig. 1




Fig. 2




Fig. 3




Fig. 4

Snap On Box Hanger


Catalog Number	Fig. No.	Description	Pkg. Per Box
SSF-TH12	1	T-grid box hanger, 12" span	25
SSF-TH20	1	T-grid box hanger, 20" span	25
SSF-TH24	1	T-grid box hanger, 24" span	25
SSF-TH30	1	T-grid box hanger, 30" span	25
SSF-TH24A	2	8" height adjustable, 24" span	25
SSF-THC	3	Snap on fixture/box hanger mounting clip	100
SSF-MH1/4-3/8C	4	1/4"-20 x 3/8" bolt combo head	100

Steel City® Spring Steel Fasteners

Acoustical Tee

Features

- Reduces installation time.
- Hanger comes complete with bar riveted to acoustical tee clip, additional acoustical tee clip and 1/4"-20 screw.
- Position of fixture adjustable with span.
- Solid bar for sturdier installation.
- Installs easily with a screwdriver.



Acoustical Tee



Fig. 1

Suspension Bars for Lightolier® Calculite® Series Fixtures*


Catalog Number	Fig. No.	Description	Pkg. Per Box
SSF-TL24	1	Suspension bars for Lightolier Calculite	10

*Note: Lightolier and Calculite are registered trademarks of Lightolier, and GENLYTE Company.

Steel City® Spring Steel Fasteners

Acoustical Tee

Acoustical Tee



Features

- Enlarged tab allows for easy positioning of the clip over the tee bar.
- Gives a positive method of supporting troffers and lay-ins.
- Fits round or rectangular head tee bar.
- No installation tools required.




Fig. 1

Light Fixture Support Clips

Catalog Number	Fig. No.	Description	Pkg. Per Box
SSF-TFC	1	Light fixture support clip	100

Listed UL 1514




Thomas & Betts

Steel City® Spring Steel Fasteners

Acoustical Tee

Features

- Easy to assemble, one piece construction.
- Provides independent support for fixtures.
- Washer wing nut included.
- Static load limit 65 lbs.
- No installation tools required.



Acoustical Tee




Fig. 1


Independent Support Clips

Catalog Number	Fig. No.	Description	Static Load Limit	Pkg. Per Box
SSF-TS5/8	1	Grid size 15/16", stud length 5/8"	65	100
SSF-TS2	1	Grid size 15/16", stud length 2"	65	100
SSF-TS1 1/2	1	Grid size 15/16", stud length 1-1/2"	65	100

Steel City® Spring Steel Fasteners

Acoustical Tee

Acoustical Tee



Features

- Provide support for conduit and outlet boxes above acoustical tee bar.
- TCH and TCV Series provide both horizontal and vertical support.
- Available with 1/4"-20 thread impression or plain hole.
- No installation tools required.




Fig. 1



Fig. 2




Fig. 3

Electrical Component Supports

Catalog Number	Fig. No.	Description	Pkg. Per Box
SSF-TCH	1	Top mount T-bar fastener with plain hole	100
SSF-TCHT	1	Top mount T-bar fastener with 1/4"-20 thread impression	100
SSF-TCH-S1/2	2	Acoustical clip with top mounted snap-in conduit clip for 1/2" conduit	25
SSF-TCH-S3/4	2	Acoustical clip with top mounted snap-in conduit clip for 3/4" conduit	25
SSF-TCH-S1	2	Acoustical clip with top mounted snap-in conduit clip for 1" conduit	25
SSF-TCH-C1/2 3/4	3	Acoustical clip with top mounted conduit clip for 1/2"-3/4" conduit	25

Features

- Provides supporting conduit and outlet boxes above acoustical tee bar.
- TCH and TCV Series provide both horizontal and vertical support.
- Available with 1/4"-20 thread impression or plain hole.
- No installation tools required.



Acoustical Tee




Fig. 4




Fig. 5




Fig. 6


Electrical Component Supports

Catalog Number	Fig. No.	Description	Pkg. Per Box
SSF-TCV	4	Side mount T-bar fastener with plain hole	100
SSF-TCVT	4	Side mount T-bar fastener with 1/4"-20 thread impression	100
SSF-TCV-S1/2	5	Acoustical clip with side mounted conduit clip for 1/2" conduit	25
SSF-TCV-S3/4	5	Acoustical clip with side mounted conduit clip for 3/4" conduit	25
SSF-TCV-S1	5	Acoustical clip with side mounted conduit clip for 1" conduit	25
SSF-TCV-C1/2 3/4	6	Acoustical clip with side mounted conduit clip for 1/2"-3/4" conduit	25

Steel City® Spring Steel Fasteners

Acoustical Tee

Acoustical Tee



Features

- Supports boxes and conduit above acoustical tee with height adjustments from 4-1/4" through 7-1/4".
- Attaches to conduit clips with thread impressions at required height.
- Assemblies available for pre-set conduit locations.
- TA7-S assemblies are furnished with the TA7 bracket, the conduit clip with thread impressions and 1/4"-20 cap screw.



Fig. 1




Fig. 2




Fig. 3*

Adjustable Box and Conduit Bracket

Catalog Number	Fig. No.	Description	Pkg. Per Box
SSF-TA7	1	Adjustable box and conduit support for T-grid	50
SSF-TA7-S1/2	2	For T-grid, with 1/2" snap-in conduit clip	25
SSF-TA7-S3/4	2	For T-grid, with 3/4" snap-in conduit clip	25
SSF-TA7-S1	2	For T-grid, with 1" snap-in conduit clip	25

*Note - For preset location, add location number per Figure 3.

Steel City® Spring Steel Fasteners

Acoustical Tee

Features


- Provides attachment for dedicated electrical drop wire.
- Yellow painted finish for easy identification
- Complies to CEC article 12-918.



Fig. 1



Fig. 2



Acoustical Tee


Drop Wire Stabilizer

Catalog Number	Fig. No.	Description	Pkg. Per Box
SSF-TCVYL	1	Drop wire stabilizer, #12 through #8 drop wire	25
SSF-TCVYL-FBUC	2	Drop wire stabilizer, #8 drop wire through 3/8" rod	25

Steel City® Spring Steel Fasteners

Acoustical Tee

Acoustical Tee



Features

- Will not damage acoustical tee.
- All T-clips with 1/4"-20 studs are furnished with a TWN-1/4" wing nut.
- All T-clips with #8-32 studs are furnished with a #8-32 pal nut.
- Available in black or white painted finish.
- Static load limit 25 lbs.




Fig. 1



Fig. 2

Acoustical Tee Twist-on Clip for Fixture Support


Catalog Number	Fig. No.	Description	Static Load Limit	Pkg./Box
SSF-T9T5/8	1	1/4"-20 x 5/8" stud, 9/16" tee	50	25
SSF-T9T5/8WH	1	1/4"-20 x 5/8" stud, 9/16" tee, white	50	25
SSF-T9T8-5/8	1	#8-32 x 5/8" stud, 9/16" tee	50	25
SSF-T9T8-5/8WH	1	#8-32 x 5/8" stud, 9/16" tee, white	50	25
SSF-T9T8-7/16	1	#8-32 x 7/16" stud, 9/16" tee	50	25
SSF-TWN1/4	2	Impression washer wing nut, 1/4"-20 thread	50	100

Steel City® Spring Steel Fasteners

Acoustical Tee

Features

- Supports electrical fixtures from acoustical tee bar 9/16" or 15/16" wide.
- 1/4"-20 stud — 5/8", 1-1/2", 2" or 3" long.
- All T-clips with 1/4"-20 studs are furnished with a TWN-1/4" wing nut.
- All T-clips with #8-32 studs are furnished with a #8-32 pal nut.
- No installation tools required.



Acoustical Tee




Fig. 1




Fig. 2


Acoustical Tee “Twist On” Fixture Support

Catalog Number	Fig. No.	Description	Static Load Limit	Pkg. Per Box
SSF-T15T5/8	1	1/4-20 x 5/8" stud, 15/16" tee	50	25
SSF-T15T5/8WH	1	1/4-20 x 5/8" stud, 15/16" tee, white finish	20	25
SSF-T15T1 1/2	1	1/4-20 x 1-1/2" stud, 15/16" tee	50	25
SSF-T15T1 1/2WH	1	1/4-20 x 1-1/2" stud, 15/16" tee, white finish	20	25
SSF-T15T2	1	1/4-20 x 2" stud, 15/16" tee	50	25
SSF-T15T3	1	1/4-20 x 3" stud, 15/16" tee	50	25
SSF-T15T8-5/8	1	#8-32 x 5/8" stud, 15/16" tee	50	25
SSF-T15T8-5/8WH	1	#8-32 x 5/8" stud, 15/16" tee, white finish	20	25
SSF-T15T8-7/16	1	#8-32 x 7/16" stud, 15/16" tee	50	25
SSF-T15T8-7/16WH	1	#8-32 x 7/16" stud, 15/16" tee, white finish	20	25
SSF-T15TSH	2	Acoustical tile sign hanger attachment, white finish	20	25

Steel City® Spring Steel Fasteners

Hangers

Acoustical Tee



Features

- Supports fluorescent light fixtures from s-hooks and jack chain.
- Supports 50 lbs. ultimate static load limit.
- No need to modify jack chain for fixture installation.




Fig. 1




Fig. 2




Fig. 3




Fig. 4

Light Fixture Hanger

Catalog Number	Fig. No.	Description	Static Load Limit	Pkg. Per Box
SSF-TV	1	Fluorescent light fixture hanger	50	100
CI-8930	2	Fluorescent light fixture hanger	115	100
CI-8932	3	Fluorescent light fixture hanger	115	100
C8960	4	Tie Wire #16	125	300 ft.

Features

- Order s-hooks and jack chain with your Spring Steel orders to save on freight, energy, and purchase orders.
- S-hook supports 29 lbs. static load limit.



Acoustical Tee



Fig. 1



Fig. 2



Fig. 3

S Hook and Jack Chain

Catalog Number	Fig. No.	Trade size	Description	Static Load Limit	Pkg. Per Box/Per foot
CI-8905	1		S-Hook	90	100
CI-8903	3	#2	Lion Chain	115	100
CI-8904	3	#3	Lion Chain	90	250
8904SP2	3	#3	Lion Chain	90	250
8904SP5	3	#3	Lion Chain	90	500
CI-8910	2	#10-T	Jack Chain	43	300
8910SP2	2	#10-T	Jack Chain	43	200
8910SP5	2	#10-T	Jack Chain	43	500
CI-8912	2	#12	Jack Chain	29	300