
#### \_

### **Service masts**

Service entrance masts and accessories



Service entrance masts and accessories


MM104	Ref. No.	Steel	PVC	Description
E998G		MM104		
MM105			E998G	
MM105				
MM202				
MM202P   200A - 2" Entrance cap for old style 2 3/4" mast   E9983   200A - 2" Entrance cap for old style 2 3/4" mast   E998L   200A - 2" Entrance cap   E998K-UPC   200A - 2 1/2" Entrance cap   E998L   320A - 3" Entrance cap   E998N   320A/400A - 4" Entrance cap   E998N   320A/400A - 4" Entrance cap   G74" rigid conduit   2		MM105		cap for 2 1/2" mast
MM202P   E998J   200A - 2" Entrance cap for old style 2 3/4" mast style 2 3/4" mas		MM202		
E998K-UPC	1	MM202P		
E998L   320A-3" Entrance cap   E998N   320A/400A - 4" Entrance cap   E998N   320A/400A - 4" Entrance cap   For 4" rigid conduit   CIEFA-4   400A - 4" Entrance cap for 4" rigid conduit   CIEFA-4   400A - 4" Entrance cap for 4" rigid conduit   CIEFA-4   400A - 4" Entrance cap for 4" rigid conduit   CIEFA-4   400A - 4" Entrance cap for 4" rigid conduit   CIEFA-4   400A - 4" Entrance cap for 4" rigid conduit   CIEFA-4   400A - 4" Entrance cap for 4" rigid conduit   100A - Light duty spool rack (Alberta only)   4   400A - Heavy duty spool rack (Alberta only)   4   400A - Heavy duty spool rack (Alberta only)   5   400A - Heavy duty spool rack (Fits 3" and 4" rigid conduit   5   400A - Heavy duty spool rack (Fits 3" and 4" rigid conduit   5   400A - Heavy duty spool rack   6   400			E998J	200A - 2" Entrance cap
E998N   320A/400A - 4" Entrance cap for 4" rigid conduit rigid conduit strap			E998K-UPC	200A - 2 1/2" Entrance cap
CIEFA-4			E998L	320A - 3" Entrance cap
MM700   Service mast ground clamp, wire range: 8-1/0 AWG			E998N	320A/400A - 4" Entrance cap
MM380   Guy attachment c/w oval eye   MM101   100A - Light duty spool rack   MM5101   100A - Light duty spool rack   (Alberta only)   4   MM201   200A - Heavy duty spool rack   fits 3" and 4" rigid conduit strap   E977N   4" conduit strap   E977N   MM250   MM250   MM250   MM250   MM250   MM250   MM250   MM251   MM2		CIEFA-4		
MM101	2	мм700		
MM5101   100A - Light duty spool rack (Alberta only)	3	MM380		Guy attachment c/w oval eye
MM201   200A - Heavy duty spool rack		MM101		100A - Light duty spool rack
MM801   400A - Heavy duty spool rack, fits 3" and 4" rigid conduit		MM5101		
MM801   Fits 3" and 4" rigid conduit	4	MM201		200A - Heavy duty spool rack
SS401-E   Wall mount spool Rack   Wedge clamp 2 - 6 ACSR   We02-1   Wedge clamp 1/0 - 4 ACSR   We03-1   Wedge clamp 1/0 - 4 ACSR   Framework   Wedge clamp 1/0 - 4 ACSR   We03-1   Wedge clamp 1/0 - 4 ACSR   We03-1   Wedge clamp 1/0 - 4 ACSR   Framework   We03-1		MM901		
W62-1   Wedge clamp 2 - 6 ACSR				
### W20-1    Wedge clamp 1/0 - 4 ACSR				·
### W20-1   Wedge clamp 1/0 - 4 ACSR	5			
MM300   Service mast wire holder				
MM505N   Roof flange with neoprene collar for 2 1/2" mast   Roof flange with neoprene collar for 1 1/4" conduit   MM506N   Neoprene roof flange for 2 1/2" mast   MM806NN-1P   Neoprene roof flange, for 4" rigid conduit     9				·
MM505N   Roof flange with neoprene collar for 2 1/2" mast Roof flange with neoprene collar for 1 1/4" conduit MM506N   Neoprene roof flange for 2 1/2" mast MM806NN-1P   Neoprene roof flange, for 4" rigid conduit	7	MM300		
MM506N   Neoprene roof flange for 2 1/2" mast		MM505N		collar for 2 1/2" mast
MM806NN-1P   Neoprene roof flange, for 4" rigid conduit     9	8	MM5505N		collar for 1 1/4" conduit
MM250		MM506N		mast
MM251   Mast strap c/w two 3/8" x 4"   lag screws     MM252   Mast strap without lag screws     E977GC   11/4" conduit strap     E997HC   11/2" conduit strap     E977JC-4-HD   2" conduit strap     E977K   21/2" conduit strap     E977L   3" conduit strap     E977L   3" conduit strap     E977N   4" conduit strap     MM400   Mast clamp with 5/8" x 10" threaded bolt and 4" x 4"     square washer     21/2" mast clamp with 5/8" x     41/2" threaded bolt and 4" x 4"     WM445   41/2" threaded bolt and 4" x 4"     MM5400   2 1/2" mast clamp with 1/2" x     MM5400   10" threaded bolt and 4" x 4"		MM806NN-1P		
MM252   Mast strap without lag screws	9	MM250		1/2" "U" for 2 1/2" mast
### 11/4" conduit strap  ### 10 ### 11/4" conduit strap  ### 10 ### 11/2" conduit strap  ### 11/4" conduit strap  ### 12/2" conduit strap  ### 21/2" mast clamp with 5/8" x 10"  ### 21/2" mast clamp with 5/8" x 10"  ### 21/2" mast clamp with 5/8" x 10"  ### 21/2" mast clamp with 1/2" x 10" threaded bolt and 4" x 4"  #### 21/2" mast clamp with 1/2" x 10" threaded bolt and 4" x 4"  ###################################		MM251		
### 10   E997HC   1 1/2" conduit strap		MM252		Mast strap without lag screws
### E977JC-4-HD 2" conduit strap #### E977K 2 1/2" conduit strap #### E977K 2 1/2" conduit strap ####################################			E977GC	11/4" conduit strap
### ##################################	10		E997HC	11/2" conduit strap
### E977L 3" conduit strap  ### E977N 4" conduit strap  ### MM400 Mast clamp with 5/8" x 10"  ### threaded bolt and 4" x 4"			E977JC-4-HD	2" conduit strap
### 10" threaded bolt and 4" x 4"  ### 21/2" mast clamp with 5/8" x 10"  ### 11			E977K	
MM400  MM400  Mast clamp with 5/8" x 10" threaded bolt and 4" x 4" square washer  2 1/2" mast clamp with 5/8" x  MM401  2 1/2" mast clamp with 5/8" x  4 1/2" threaded bolt and 4" x  4" washer  2 1/2" mast clamp with 1/2" x  MM5400  MM5400  Mast clamp with 5/8" x  2 1/2" mast clamp with 1/2" x  4" washer  10" threaded bolt and 4" x 4"			E977L	3" conduit strap
MM400         threaded bolt and 4" x 4" square washer square washer           MM401         2 1/2" mast clamp without hardware           11         2 1/2" mast clamp with 5/8" x 4 1/2" threaded bolt and 4" x 4" washer           4 1/2" threaded bolt and 4" x 4" washer           2 1/2" mast clamp with 1/2" x 4" washer           1 1/2" threaded bolt and 4" x 4" washer           2 1/2" mast clamp with 1/2" x 4" washer           2 1/2" threaded bolt and 4" x 4"			E977N	
MM401  2 1/2" mast clamp without hardware  2 1/2" mast clamp with 5/8" x  MM445  4 1/2" threaded bolt and 4" x  4" washer  2 1/2" mast clamp with 1/2" x  MM5400  10" threaded bolt and 4" x 4"		MM400		threaded bolt and 4" x 4"
11 2 1/2" mast clamp with 5/8" x 4 1/2" threaded bolt and 4" x 4" washer 2 1/2" mast clamp with 1/2" x MM5400 10" threaded bolt and 4" x 4"		MM401		2 1/2" mast clamp without
2 1/2" mast clamp with 1/2" x MM5400 10" threaded bolt and 4" x 4"	11	MM445		2 1/2" mast clamp with 5/8" x 4 1/2" threaded bolt and 4" x
wacher		MM5400		2 1/2" mast clamp with 1/2" x

Ref. No.	Steel	PVC	Description
			2 1/2" mast clamp with 5 1/2"
	MM600		spacer, 5/8" x 4 1/2" threaded
			bolt and 4" x 4" washer
40	MM602		Masonry 5 1/2" spacer without hardware
12	_		Masonry 5 1/2" light duty
	MM602LD		spacer without hardware
	1414502		Mast clamp and masonry 5
	MM603		1/2" spacer without hardware
	MM8		8 ft. x 2-1/2" O.D. mast
	ммэсм		9 ft. x 2-1/2" O.D. mast
	MM10		10 ft. x 2-1/2" O.D. mast
		49009CC	10ft x 1 1/4" Conduit
13		49010CC	10ft x 1 1/2" Conduit
		49011CC	10 ft. x 2" Conduit
		49012CC	10 ft. x 2 1/2" Conduit
		49013CC	10 ft x 3" Conduit
		49015CC	10ft x 4" Conduit
	MM12		12 ft. x 2 1/2" O.D. mast
	MM140		11/4" Female reducer
	MM140M		1 1/4" Male reducer
	MM150		11/2" Female reducer
	MM150M		1 1/2" Male reducer
14	MM200M		2" Male Reducer
14	MM200		2" Female reducer
	MM200P		2" Female reducer for old style 2-3/4" service masts
		E942J	2" Female adaptor
		E943G	1 1/4" Male terminal adaptor
		E943H	11/2" Male terminal adaptor
	MC250		2-1/2" One-piece mast coupler
		E940J	2" Conduit coupler
15		E940K	2 1/2" Conduit coupler
		E995G	11/4" Offset
		E991J	2" Meter hub
	MH200		2 1/2" Mast hub with set screw
	MH12X		11/4" Rigid conduit threaded
			hub
		E991G	11/4" Conduit hub
16	MH15		1 1/2" Rigid conduit threaded mast hub
		E991H	1 1/2" Conduit hub
	MH20		2" Rigid conduit threaded hub
	MH30	E991L	3" Conduit hub
	MH40		4" Rigid conduit threaded hub
17	MM605		Meter socket mounting
11	1-11-1003		bracket
18	MM604		Masonry meter socket 4 7/8" spacer bracket

**Service Masts** 

Guy kits for 2½ in. masts

Description	Consists of	Qty.	Cat. no.
			¼ in. Guy kit
Mast guy attachme	MM380	1	MM914
Guy thimble	GT516	2	_
Guy er	GE14	1	_
20 ft. of ¼ in. guy wi	GW14110	1	_
Guy clan	GC902	1	
Roof brack	RB404	1	_
Lag scre	T404-CM	1	_
			5⁄16 in. Guy kit
Mast guy attachme	MM380	1	MM9516
Guy thimb	GT516	1	
Guy er	GE516	1	
20 ft. of <b>⁵⁄16</b> in. guy wi	GW516110	1	
Guy clan	GC902	1	
% in. x 12 in. Bent thimble eye bo	BTE512	1	
Round wash	RA725	1	



Mast kits suitable for British Columbia

Description	Consists of	Qty.	Cat. No.
Entrance ca	MM104	1	KIT-100BCMH
Light-duty rac	MM101	1	
Flange comes with neoprene coll	MM505N	1	
"U" bolt clam	MM250	3	
Mast couple	MH200	1	
Entrance ca	MM104	1	KIT-100BCMN
Light-duty rac	MM101	1	
Flange comes with neoprene coll	MM505N	1	
"U" bolt clam	MM250	3	
1¼ In. Female reduce	MM140	1	
Entrance ca	MM104	1	MMK1-NMH
Light-duty rac	MM101	1	
Flange comes with neoprene colla	MM505N	1	
Support clam	MM400	3	
Mast couple	MH200	1	
Entrance ca	MM202	1	KIT-200BCMH
Heavy-duty rad	MM201	1	
Flange comes with neoprene colla	MM505N	1	
"U" bolt clam	MM250	3	
Mast couple	MH200	1	
Entrance ca	MM202	1	MMK2-NMH
Heavy-duty rad	MM201	1	
Flange comes with neoprene colli	MM505N	1	
Support clam	MM400	3	
Mast couple	MH200	1	

\_

## **Service masts**

Mast kits suitable for Alberta

KIT-1 1/4 – 100 A

	Cat. no.	Qty.	Consists of	Description
	This mast kit is used in c	onjunction with 1¼ in.	rigid conduit	
	KIT-1 1/4	1	MM5104A	1¼ in. Throat entrance cap
The state of the s		1	MM5101	Light-duty spool rack
		1	MM5505N	Roof flange complete with neoprene collar
The state of the s		1	MM5400	Support clamp complete with ½ in. x 10 in. bolt

KIT2-CM - 100 A

Description	Consists of	Qty.	Cat. no.
	gid conduit	njunction with 2 in. rig	This mast kit is used in co
2 in. Throat entrance cap	CIEFSA-2	1	KIT2-CM
Light-duty spool rack	MM5101	1	
Roof flange complete with neoprene collar	MM505N	1	
Support clamp complete with ½ in. x 10 in. bolt	MM5400	2	
1¼ in. Bottom female reducer	MM5140	1	+

— KIT-2-AL – 200 A

KIT-2-AL	
	3

MB-110 – 100 A

Cat. no.	Qty.	Consists of	Description
MB-110	1	MM104	1¼ in. Entrance cap
	1	MM201	Heavy-duty spool rack
0	1	MM505N	Roof flange complete with neoprene collar
	3	MM400	Support clamp complete with $\frac{1}{2}$ in. x 10 in. fully threaded bolt and $4 \times 4$ washer
O.D.	1	MM140	1¼ in. Female reducer

Mast kits suitable for Manitoba and Saskatchewan

Description	Consists of	Qty.	Cat. no.
Entrance cap	MM104	1	KIT-100MJ
1¼ in. Reduce	MM140M	1	
Light-duty rack	MM101	1	
Flange complete with neoprene colla	MM505N	1	
Strap complete with ¾ in. x 4 in. Lag bolt	MM251	2	
Support clamp	MM400	1	
Entrance cap	MM104	1	KIT-100MN
11/4 in. Reduce	MM140M	1	
Light-duty rack	MM101	1	_
Flange complete with neoprene colla	MM505N	1	
Strap complete with ¾ in. x 5 in. lag bol	MM255	3	
Entrance cap	MM104	1	KIT-100MH
Light-duty rack	MM101	1	_
Flange complete with neoprene collar	MM505N	1	
Strap complete with ¾ in. x 4 in. lag bol	MM251	3	
Mast couple	MH200	1	
Entrance cap	MM202	1	KIT-200AM
Heavy-duty rack	MM201	1	
2 in. Male reduce	MM200M	1	
Flange complete with neoprene collar	MM505N	1	
Strap complete with % in. x 5 in. lag boli	MM255	3	
Entrance cap	MM202	1	KIT-200MH
Heavy-duty rack	MM201	1	
Flange complete with neoprene colla	MM505N	1	
Strap complete with % in. x 5 in. lag bol	MM255	3	
Mast couple	MH200	1	_
Entrance cap	MM202	1	KIT-200MJ
2 in. Male reduce	MM200M	1	_
Heavy-duty rack	MM201	1	
Flange complete with neoprene colla	MM505N	1	_
Strap complete with % in. x 4 in. lag bol	MM251	1	_
Support clamp	MM400	1	_
Entrance cap	MM202	1	MMK2-NMH
Heavy-duty rack	MM201	1	
Flange complete with neoprene colla	MM505N	1	
Support clamp	MM400	3	
Mast couple	MH200	1	_

## Mast kits suitable for Ontario

Cat. no.	Qty.	Consists of	Description
KIT-100HDM	1	MM104	Entrance cap
	1	MM140M	1¼ in. Male reducer
	1	MM201	Heavy-duty rack
	1	MM503	Flange complete with steel collar
	3	MM255	Strap complete with
			¾ in. x 5 in. lag bolts
KIT-100MH	1	MM104	Entrance cap
	1	MM101	Light-duty rack
	1	MM505N	Flange complete with neoprene collar
	3	MM251	Strap complete with ¾ in. x 4 in. lag bolt
	1	MM200	Female reducer
KIT-100MN	1	MM104	Entrance cap
	1	MM140M	1¼ in. Male reducer
	1	MM101	Light-duty rack
	1	MM505N	Flange complete with neoprene collar
	3	MM255	Strap complete with % in. x 5 in. lag bolt
KIT-100NMH	1	MM104	Entrance cap
	1	MM101	Light-duty rack
	1	MM505N	Flange complete with neoprene collar
	1	MM400	Support clamp
	1	MM200	Female reducer
MMK1	1	MM104	Entrance cap
	1	MM101	Light-duty rack
	1	MM140M	1¼ in. Male reducer
	1	MM503	Flange complete with steel collar
	3	MM400	Support clamp
MMK-1N	1	MM104	Entrance cap
	1	MM101	Light-duty rack
	1	MM505N	Flange complete with neoprene collar
	3	MM400	Support clamp
	1	MM140M	1¼ in. Male reducer
MMK1-NMH	1	MM104	Entrance cap
	1	MM101	Light-duty rack
	1	MM505N	Flange complete
	1	MICOCIMIM	with neoprene collar
	3	MM400	Support clamp
	1	MH200	Mast coupler
KIT-200MH	1	MM202	 Entrance cap
	1	MM201	Heavy-duty rack
	1	MM200M	2 in. Male reducer
	1	MM505N	Flange complete
	3	MM255	with neoprene collar
	3	141141722	Strap complete with ¾ in. x 5 in. lag bolt

Cat. no.	Qty.	Consists of	Description
KIT-200AM	1	MM202	Entrance cap
	1	MM201	Heavy-duty rack
	1	MM505N	Flange complete with neoprene collar
	3	MM255	Strap complete with ¾ in. x 5 in. lag bolt
	1	MH200	Mast coupler
KIT-200NMH	1	MM202	Entrance cap
	1	MM201	Heavy-duty rack
	1	MM505N	Flange complete with neoprene collar
	3	MM400	Support clamp
	1	MM200	Female reducer
MMK2	1	MM202	Entrance cap
	1	MM201	Heavy-duty rack
	1	MM200M	2 in. Male reducer
	1	MM503	Flange complete with steel collar
	3	MM400	Support clamp
MMK-2N	1	MM202	Entrance cap
	1	MM201	Heavy-duty rack
	1	MM505N	Flange complete with neoprene collar
	3	MM400	Support clamp
	1	MM200M	2 in. Male reducer
MMK2-NMH	1	MM202	Entrance cap
	1	MM201	Heavy-duty rack
	1	MM505N	Flange complete with neoprene collar
	3	MM400	Support clamp
	1	MH200	Mast coupler

#### \_

## **Service masts**

Mast kits suitable for Quebec

Cat. no.	Qty.	Consists of	Description
KIT-100MN	1	MM104	Entrance cap
	1	MM140M	1¼ in. Male reducer
	1	MM101	Light-duty rack
	1	MM505N	Flange complete
			with neoprene collar
	3	MM255	Strap complete with % in. x 5 in. lag bolts
KIT-100MH	1	MM104	Entrance cap
2001	1	MM101	Light-duty rack
	1	MM505N	Flange complete
	-	555	with neoprene collar
	3	MM251	Strap complete with
			¾ in. x 4 in. lag bolts
	1	MH200	Mast coupler
KIT-100MNF	1	MM104	Entrance cap
	1	MM140M	1¼ in. Male reducer
	1	MM101	Light-duty rack
	3	MM251	Strap complete with % in. x 4 in. lag bolts
KIT-150AM	1	MM105	1½ in. entrance cap
	1	MM201	Heavy-duty rack
	1	MM505N	Flange complete with neoprene collar
	3	MM251	Strap complete with % in. x 4 in. lag bolts
	1	MM150M	1½ in. Male adaptor
KIT-200AM	1	MM202	 Entrance cap
	1	MM201	Heavy-duty rack
	1	MM200M	2 in. Male reducer
	1	MM505N	Flange complete
			with neoprene collar
	3	MM255	Strap complete with
			¾ in. x 5 in. lag bolts
KIT-200AMGR	1	MM202	Entrance cap
	1	MM201	Heavy-duty rack
	1	MM200M	2 in. Male reducer
	1	MM505N	Flange complete with neoprene collar
	3	MM255	Strap complete with % in. x 5 in. lag bolts
	1	MM700	Service mast ground clamp
KIT-200MH	1	MM202	Entrance cap
	1	MM201	Heavy-duty rack
	1	MM505N	Flange complete
			with neoprene collar
	3	MM255	Strap complete with % in. x 5 in. lag bolts
	1	MH200	Mast coupler

Cat. no.	Qty.	Consists of	Description
KIT-100HDM	1	MM104	Entrance cap
	1	MM140M	1¼ in. Male reducer
	1	MM201	Heavy-duty rack
	1	MM503	Flange complete with steel collar
	3	MM255	Strap complete with 3/2 in. x 5 in. lag bolts
KIT-200-PVC	1	SS401-E	Spool rack
	1	E998J	2 in. Entrance cap
	3	E977JC	2 in. Strap
	1	PH20	2 in. Hub PVC
	2	E943J	2 In. Male adaptor
	2	CI1716	2 in. Locknut
	1	E986J	2 in. LB type
	1	CIDUCT1	Duct seal
	1	UA9AJCB-UPC	2 in. PVC elbow
KIT-200AM-CP	1	MM202	2 in. Entrance cap
	1	MM201	Spool rack
	1	MM505N	Floor flange
	1	MM200M	2 in. Male reducer
	3	MM251	Strap complete with % in. x 4 in. lag bolts
	2	E943J	2 in. Male adaptor
	2	CI1716	2 in. Locknut
	1	E986J	2 in. Entrance cap
	1	DUCT SEAL	Duct seal
	1	UA9AJCB-UPC	2 in. PVC elbow
KIT-200MH-CP	1	MM202	2 in. Entrance cap
	1	MM201	Spool rack
	1	MM505N	Roof flange
	1	MH200	2 in. Mast coupler
	3	MM251	Strap complete with % in. x 4 in. lag bolts
	2	E943J	2 in. Male adaptor
	2	CI1716	2 in. Locknut
	1	E986J	2 in. Entrance cap
	1	CIDUCT1	Duct seal
	1	UA9AJCB-UPC	2 in. PVC elbow

# Mast kits suitable for Quebec and for all regions

#### KIT-200-PVC - Quebec

	Cat. no.	Qty.	Consists of	Description
	This mast kit rigid conduit	is used	d in conjunction	with 2 in.
	KIT-200-PVC	1	SS401-E	Spool rack
		1	E998J	2 in. Entrance cap
		3	E977JCIM	2 in. Strap
		1	PH20	2 in. Hub PVC
		2	E943J	2 in. Male adaptor
		2	CI1716	2 in. Locknut
		1	E986J	2 in. LB type
		1	CIDUCT1	Duct seal
		1	UA9AJCB-UPC	2 in. PVC elbow

#### KIT-200AM-CP – Quebec

	Cat. no.	Qty.	Consists of	Description
	This mast kit is rigid conduit	s used i	n conjunction	with 2 in.
2000 e	KIT-200AM-CP	1	MM202	2 in. Entrance cap
		1	MM201	Spool rack
		1	MM505N	Roof flange
		1	MM200M	2 in. Male reducer
		3	MM251 9	2 in. Pipe strap (comes with lag screws)
		2	E943J	2 in. Male adaptor
		2	CI1716	2 in. Locknut
		1	E986J	2 in. Entrance cap
		1	CIDUCT1	Duct seal
		1 U	IA9AJCB-UPC	2 in. PVC elbow

#### KIT-200MH-CP - Quebec

	Cat. no.	Qty.	Consists of	Description
.0	KIT-200MH-CP	1	MM202	2 in. Entrance cap
A STATE OF THE STA		1	MM201	Spool rack
3000		1	MM505N	Roof flange
		1	MH200	2 in. Mast coupler
		3	MM251	2 in. Pipe strap, comes with lag screws 3⁄4 x 4 in.
	_	2	E943J	2 in. Male adaptor
		2	CI1716	2 in. Locknut
	-	1	E986J	2 in. Entrance cap
	-	1	CIDUCT1	Duct seal
		1	UA9AJCB- UPC	2 in. PVC elbow

#### KIT-400MH – For all regions

	Cat. no.	Qty.	Consists of	Description
	This mast ki rigid condui		ed in conjunct	on with 4 in.
C. C.	KIT-400MH	1	CIEFA-4	4 in. Entrance head
		1	MM801	Heavy-duty spool rack
		1	MM806N-1P	Roof flange
		1	MH40	4 in. Mast coupler
		3	CI1532	Pipe strap comes with lag screws (6) % x 5 in.