



## Steel stud boxes


### Device boxes



CI3102-LSSAX



CI3102-SSX




CI2104-LSSAX




CI2104-LSSA-2X



CI2104-LSSX



CI2104-LSS1X-1



CI2104-LSS2X-1



CI2104-LSS3X-1



CI-2104-LSS-2X



CI-2104-LSS-3X



CISSX-6



Cat. No.	Volume (Cu. in.)	Width (in.)	Features Clamps	Knockouts			Pryouts ends
				1/2 in. ends	1/2 in. bottom	3/4 in. ends	
<b>Device boxes – 2 in. deep – gangable – 3 in. high</b>							
CI3102-LSSAX	12.0	2	BX/Loomex	–	–	–	4
CI3102-SSX	12.0	2	–	2	–	–	–
<b>Device boxes – 2 1/2 in. deep – pre-ganged – 3 in. high</b>							
CI2104-LSSAX	12.5	2	BX/Loomex	–	–	–	4
CI2104-LSSA-2X	25.0	3 3/4	BX/Loomex	–	–	–	8
CI2104-LSSA-3X	37.5	5 1/2	BX/Loomex	–	–	–	12
CI2104-LSSA-4X	50.0	7 3/8	BX/Loomex	–	–	–	16
CI2104-LSSX	12.5	2	Loomex/BX	–	–	–	4
CI2104-LSS1X-1	12.5	2	Loomex/BX	–	–	–	4
CI2104-LSS2X-1	25.0	3 3/4	Loomex/BX	–	–	–	8
CI2104-LSS3X-1	37.5	5 1/2	Loomex/BX	–	–	–	12
CI-2104-LSS-2X	25.0	3 3/4	Loomex/BX	–	–	–	8
CI-2104-LSS-3X	37.5	5 1/2	Loomex/BX	–	–	–	12
CI2104-LSS-4X	50.0	7 3/8	Loomex/BX	–	–	–	16


Cat. No.	Description
<b>Support brackets</b>	
CISSX-6	Support bracket extension for 6 in. metal stud

## Steel stud boxes

### Device boxes




CI3104-KSSX




CI3104-KSSX-5/8



CI3104-KSSX-NG\*




BC3104-KSS1X-1



BC3104-LSSAX




BC3104-LSSX



BC3104-LSSAX-NG\*




CI3104-LSS1X-1



CI3104-LSSA1X-1



CI1504-LSSAX



CI3004-LSSAX-1



CI3004-LSSX-1



CISSX-6

\* Heavy-duty adjustable bracket that provides solid support even up to 3-1/2 in. away from steel studs.




Cat. No.	Volume (Cu. in.)	Features Clamps	Knockouts			Pryouts ends
			1/2 in. ends	1/2 in. bottom	3/4 in. ends	
<b>Device boxes – 2 1/2 in. deep – gangable – 3 in. x 2 in.</b>						
CI3104-KSSX	16.0	–	2	2	2	–
CI3104-KSSX-5/8	16.0	–	2	2	2	–
CI3104-KSSX-NG*	16.0	–	2	2	2	–
BC3104-KSS1X-1	16.0	–	2	2	2	–
BC3104-LSSAX	16.0	BX/Loomex	–	–	–	4
BC3104-LSSAX-NG*	16.0	BX/Loomex	–	–	–	4
BC3104-LSSX	16.0	Loomex/BX	–	–	–	4
CI3104-LSS1X-1	16.0	Loomex/BX	–	–	–	4
CI3104-LSSA1X-1	16.0	BX/Loomex	–	–	–	4
CI3104-SSX	16.0	Loomex/BX	2	2	–	–
<b>Device boxes – 2 1/2 in. deep – non-gangable – 3 in. x 2 1/4 in.</b>						
CI1504-LSSAX	15.0	Loomex/BX	–	–	–	4
<b>Device boxes – 3 in. deep – gangable – 3 in. x 2 in.</b>						
CI3004-LSSAX-1	18.0	BX/Loomex	–	–	–	4
CI3004-LSSX	18.0	Loomex/BX	–	–	–	4
CI3004-LSSX-1	18.0	Loomex/BX	–	–	–	4

\* Heavy-duty adjustable bracket that provides solid support even up to 3 1/2 in. away from steel studs and supplied with raised ground screws.

Cat. No.	Description
<b>Support brackets</b>	
CISSX-6	Support bracket extension for 6 in. metal stud

## Steel stud boxes

### 347 V Boxes and power communication boxes



Cat. No.	Volume (Cu. in.)	Features Clamps	1/2 in. ends	1/2 in. bottom	Knockouts 3/4 in. ends	Pryouts ends
<b>347 V boxes – 2 1/2 in. deep – gangable – 3 in. x 2 1/4 in</b>						
CI1204-SSX-HV	19.5	–	2	–	–	–
CI1204-LSSAX-HV	19.5	BX/Loomex	–	–	–	4
CI1204-SS1X-HV	16.0	–	2	–	–	–
<b>Power / Communication boxes – 2 1/2 in. deep – pre-ganged – 3 in. x 2 in. / gang</b>						
CI4204-KSSX	12.5 / gang	–	4	4	4	–
CI4204-LSSX	12.5 / gang	Loomex/BX	2	2	2	4
CI4204-LSSAX	12.5 / gang	BX/Loomex	2	2	2	4
CI4204-LSSAX-1	12.5 / gang	BX/Loomex	2	2	2	4
CI4304-LSSX	12.5 / gang	Loomex/BX	–	–	–	4
CI4304-LSSAX	12.5 / gang	BX/Loomex	–	–	–	4
<b>Power / Communication boxes – 2 1/2 in. deep – gangable – 3 in. x 2 in.</b>						
BC3104-LSSAX-LV	16.0	BX/Loomex	–	–	–	4
BC3104-LSSAX-LV-1	16.0	BX/Loomex	–	–	–	4
<b>Power / Communication boxes – 3 in. deep – gangable – 3 in. x 2 in.</b>						
BC3004-LSSAX-LV	18.0	BX/Loomex	–	–	–	4

Cat. No.	Description
<b>Support brackets</b>	
CISSX-6	Support bracket extension for 6 in. metal stud

## Steel stud boxes

4 in. and 4-11/16 in. square boxes and 4 in. octagonal boxes



\* Heavy-duty adjustable bracket that provides solid support even up to 3-1/2 in. away from steel studs.



Cat. No.	Volume (Cu. in.)	Clamps	Knockouts				Pryouts sides
			1/2 in. sides	1/2 in. bottom	3/4 in. sides	3/4 in. bottom	
<b>4 in. square boxes – 1 1/2 in. deep</b>							
BC52151-KSSX	21.0	-	7	4	3	2	-
BC52151-KSSX-NG*	21.0	-	7	4	3	2	-
<b>4 in. square boxes – 2 1/8 in. deep</b>							
BC52171-KSSX	30.0	-	7	4	3	2	-
BC52171-KSSX-NG*	30.0	-	7	4	3	2	-
BC52171-KSSX-1/2	30.0	-	7	4	3	2	-
BC52171-KSSX-F1	30.0	-	6	4	2	2	-
BC52171-1-SSX-1/2	30.0	-	-	4	-	2	2
<b>4 11/16 in. square boxes – 2 1/8 in. deep</b>							
CI72171-KSSX	42.0	-	8	4	4	2	-
<b>4 in. octagonal boxes – 1 1/2 in. deep</b>							
CI54151-KSSX	15.0	-	2	1	2	2	-
BC54151-LSSAX	15.0	BX/Loomex	-	1	-	-	4
BC54151-LSSAX-NG*	15.0	BX/Loomex	-	1	-	-	4
<b>4 in. octagonal boxes – 2 1/8 in. deep</b>							
CI54171-KSSX	21.0	-	2	4	2	2	-
CI54171-KSSX-5/8	21.0	-	2	4	2	2	-
<b>4 in. square – 2 1/8 in. deep</b>							
BC52171-KSSXHVKIT	33.6	-	6	-	2	-	-

\* Heavy-duty adjustable bracket that provides solid support even up to 3 1/2 in. away from steel studs and supplied with raised ground screws.

Cat. No.	Volume (Cu. in.)	Features				Knockouts 1/2 in. sides
		Brackets	Raised Ground Screw	1/2 in. ends	1/2 in. bottom	
<b>4 in. square boxes – 1 1/2 in. deep</b>						
BC1110-SSX	16.5	"SSX"	yes	7	4	3