












Guide du Choix des lampes

| TYPE DE LAMPE | CODE | TENSION | LUMEN |  | |  | |  | |  | |  | |  | |
|--|---------------------------|---------------------------|-------|---|-----|---|-----|--|-----|---|------|---|------|---|-----|
| | | | | LUXRAY | | EF40 | | LITERAY | | RETRACT-A-LITE | | EF9 / Q / M | | EF18/D/T | |
| | | | | A | B | A | B | A | B | A | B | A | B | A | B |
|  MR16, halogènes à quartz, deux broches | 580.0074-E | 6V - 6W | 40 | | | 7' | 1' | | | | | 8' | 3' | | |
| | 580.0079-E | 6V - 10W faisceau large | 77 | | | 21' | 20' | X | X | | | 23' | 22' | | |
| | 580.0080-E | 12V - 12W faisceau large | 135 | | | 25' | 17' | 16' | - | 31' | 19' | 31' | 19' | | |
| | 580.0075-E | 12V - 20W* | 270 | | | | | | | | | 54' | 41' | | |
| | 580.0064-E | 12V - 20W faisceau large | 245 | | | 50' | 36' | 36' | - | 53' | 39' | 53' | 39' | | |
| | 580.0068-E | 12V - 20WH faisceau large | 417 | | | 65' | 50' | | | 70' | 54' | 70' | 54' | | |
| | 580.0090-E | 12V - 35WH faisceau large | 853 | | | | | | | 130' | 110' | 130' | 110' | | |
| | 580.0089-E | 12V - 50WH faisceau large | 1550 | | | | | | | 160' | 171' | 160' | 171' | | |
| | 580.0083-E | 12V - 35W faisceau large | 490 | | | | | | | 96' | 86' | 96' | 86' | | |
| | 580.0076-E | 12V - 50W faisceau large | 785 | | | | | | | 126' | 100' | 126' | 100' | | |
| | 580.0077-E | 24V - 20W faisceau large | 240 | | | 46' | 37' | X | X | 48' | 38' | | | | |
| | 580.0070-E | 24V - 12W faisceau large | 95 | | | 22' | 13' | X | X | 25' | 15' | 25' | 15' | | |
| | 580.0084-E | 24V - 35W faisceau large | 460 | | | | | | | 76' | 60' | | | | |
| | 580.0078-E | 24V - 50W faisceau large | 875 | | | | | | | 139' | 12' | | | | |
| | 580.0065-E | 120V - 20W faisceau large | 100 | | | 26' | 17' | | | | | | | | |
| | 580.0066-E | 120V - 35W faisceau large | 230 | | | | | | | | | | | | |
| 580.0067-E | 120V - 50W faisceau large | 460 | | | | | | | | | | | | | |
|  MR16, lampe à DEL | 580.0097-E | 6V - 4W | 130 | | | 35' | 23' | X | X | X | X | 38' | 25' | | |
| | 580.0093-E | 12V - 4W | 170 | | | 39' | 23' | 28' | - | 41' | 25' | 41' | 25' | | |
| | 580.0104-E | 12V - 5W | 340 | | | 71' | 56' | 71' | 56' | 71' | 56' | 71' | 56' | | |
| | 580.0098-E | 24V - 4W | 200 | | | 41' | 52' | X | X | 52' | 41' | 52' | 41' | | |
| | 580.0095-E | 120V - 4W | 200 | | | | | | | | | | | | |
| | 580.0106-E | 12V - 6W | 510 | | | 100' | 85' | 100' | 85' | 100' | 85' | 100' | 85' | | |
|  par 36, Sealed beam halogen lamps | 550.0036-E | 6V - 8W | 155 | | | | | | | | | | | X | X |
| | 550.0037-E | 6V - 10W | 190 | | | | | | | | | | | X | X |
| | 550.0021-E | 6V - 20W | 380 | | | | | | | | | | | 68' | 55' |
| | 550.0024-E | 12V - 8W | 130 | | | | | | | | | | | 25' | 18' |
| | 550.0025-E | 12V - 12W | 240 | | | | | | | | | | | 45' | 37' |
| | 550.0030-E | 6V - 12W | 225 | | | | | | | | | | | X | X |
|  par 36, halogènes à faisceau scellé | 550.0018-E | 6V - 8W | 130 | | | | | | | | | | | 17' | 14' |
| | 550.0016-E | 6V - 18W | 270 | | | | | | | | | | | 29' | 18' |
| | 550.0017-E | 6V - 25W | 400 | | | | | | | | | | | 75' | 48' |
| | 550.0026-E | 12V - 12W | 190 | | | | | | | | | | | 31' | 23' |
| | 550.0027-E | 12V - 18W | 210 | | | | | | | | | | | 31' | 19' |
| | 550.0023-E | 12V - 25W | 395 | | | | | | | | | | | 68' | 43' |
|  t-3 1/4, Xenon lampes | 570.0213-E | 6V - 6W | 120 | 17' | - | | | | | | | | | | |
| | 570.0214-E | 6V - 10W | 180 | 25' | 18' | | | | | | | | | | |
| | 570.0215-E | 12V - 6W | 105 | X | X | | | | | | | | | | |
| | 570.0216-E | 12V - 10W | 200 | X | X | | | | | | | | | | |
| | 570.0211-E | 24V - 12W | 240 | | | | | | | | | | | X | X |

A= ESPACEMENT TYPE : MONTAGE À 7 PI SUR LARGEUR DE 6 PI.
B= ESPACEMENT TYPE : MONTAGE À 15 PI SUR LARGEUR DE 6 PI.

ESPACEMENT TYPE FONDÉ SUR UN CHEMIN DE 6 PI DE LARGEUR ET DES RÉFLECTANCES DE 80.50.10.















| EF26/DS/D | | DISTINCTION | | EFR | | EF15 | | EF11 | | EF30 | | EF25 | | EF39 | | EF41 | |
|-----------|-----|-------------|------|------|------|------|---|------|-----|------|-----|------|------|------|-----|------|-----|
| A | B | A | B | A | B | A | B | A | B | A | B | A | B | A | B | A | B |
| X | X | 8' | 3' | X | X | | | X | X | | | X | X | X | X | | |
| X | X | 23' | 22' | X | X | | | X | X | | | 160' | 171' | 21' | 20' | 21' | 20' |
| X | X | 31' | 19' | 31' | 19' | | | X | X | | | 31' | 19' | 25' | 17' | 25' | 17' |
| | | | | | | | | X | X | | | | | | | | |
| | | 53' | 39' | 53' | 39' | | | | | | | 53' | 39' | 50' | 36' | X | X |
| X | X | 70' | 54' | 70' | 54' | | | | | | | 70' | 54' | 65' | 50' | | |
| X | X | 130' | 110' | 130' | 110' | | | | | | | 130' | 110' | X | X | | |
| X | X | 160' | 171' | 160' | 171' | | | | | | | 160' | 171' | X | X | | |
| | | 96' | 86' | 96' | 86' | | | | | | | 96' | 86' | X | X | | |
| | | 126' | 100' | 126' | 100' | | | | | | | 126' | 100' | X | X | X | X |
| X | | 48' | 38' | X | X | | | | | | | 48' | 38' | 46' | 37' | X | X |
| | | 25' | 15' | X | X | | | X | X | | | 25' | 15' | 22' | 13' | | |
| X | X | 76' | 60' | X | X | | | | | | | 76' | 60' | X | X | | |
| X | X | 139' | 12' | X | X | | | | | | | 139' | 112' | X | X | | |
| | | 28' | 19' | X | X | | | | | | | | | 26' | 17' | 21' | 20' |
| | | 42' | 38' | X | X | | | | | | | | | X | X | | |
| | | 65' | 58' | X | X | | | | | | | | | X | X | | |
| X | X | 38' | 25' | 38' | 25' | | | | | | | | | X | X | | |
| X | X | 41' | 25' | 41' | 25' | | | | | | | | | X | X | | |
| 71' | 56' | 71' | 56' | 71' | 56' | | | | | | | | | 71' | 56' | | |
| X | X | 52' | 41' | 52' | 41' | | | | | | | | | X | X | | |
| | | 43' | 39' | | | | | | | | | | | | | | |
| 100' | 85' | 100' | 85' | 100' | 85' | | | | | | | | | 100' | 85' | | |
| | | | | | | | | X | X | X | X | | | | | | |
| | | | | | | | | X | X | X | X | | | | | | |
| | | | | | | | | 68' | 55' | 68' | 55' | 68' | 55' | | | | |
| | | | | | | | | 25' | 18' | 25' | 18' | 25' | 18' | | | | |
| | | | | | | | | 45' | 37' | 45' | 37' | 45' | 37' | | | | |
| | | | | | | | | X | X | X | X | | | | | | |
| | | | | | | | | 17' | 14' | 17' | 14' | 17' | 14' | | | | |
| | | | | | | | | 29' | 18' | 29' | 18' | 29' | 18' | | | | |
| | | | | | | | | 75' | 48' | 75' | 48' | 75' | 48' | | | | |
| | | | | | | | | 31' | 23' | 31' | 23' | 31' | 23' | | | | |
| | | | | | | | | X | X | X | X | | | | | | |
| | | | | | | | | 68' | 43' | 68' | 43' | 68' | 43' | | | | |

Consult your sales representative

A= ESPACEMENT TYPE : MONTAGE À 7 PI SUR LARGEUR DE 6 PI.
 B= ESPACEMENT TYPE : MONTAGE À 15 PI SUR LARGEUR DE 6 PI.

ESPACEMENT TYPE FONDÉ SUR UN CHEMIN DE 6 PI DE LARGEUR ET DES RÉFLECTANCES DE 80.50.10.

Guide sélecteur des lampes (suite)

| LAMP TYPE | CODE | VOLTAGE | LUMEN |  | |  | |  | |  | |  | |  | |  | |  | |
|---|------------|------------|-------|---|---|---|-----|---|-----|--|-----|---|-----|---|------|---|---|---|---|
| | | | | PROVIDER® | | EF9 / Q / M | | EF18/D/T | | EF26/ DS/D | | EF15 | | EF11 | | EF30 | | EFXPR | |
| | | | | A | B | A | B | A | B | A | B | A | B | A | B | A | B | A | B |
|  S8, High intensity tungsten lamps double contact bayonet base | 570.0040-E | 24V - 18W | 250 | | | X | X | | | X | X | X | X | | | | | | |
| | 570.0037-E | 6V - 18W | 300 | | | 10' | - | | | 10' | - | 10' | - | | | | | | |
| | 570.0031-E | 12V - 25W | 400 | | | X | X | | | X | X | X | X | | | | | | |
| | 570.0061-E | 24V - 25W | 400 | | | X | X | | | X | X | X | X | | | | | | |
| | 570.0120-E | 120V - 15W | 94 | | | X | X | x | x | 16' | 5' | X | X | | | | | | |
|  RP-11, High intensity tungsten lamps double contact bayonet base | 570.0025-E | 12V - 9W | 138 | | | X | X | | | X | | X | X | | | | | | |
| | 570.0020-E | 6V - 13W | 188 | | | | | | | | | | | | | | | | |
| | 570.0011-E | 12V - 9W | 126 | | | | | | | | | | | | | | | | |
| | 570.0038-E | 6V - 25W | 400 | | | X | X | | | X | X | X | X | | | | | | |
| | 570.0022-E | 12V - 13W | 188 | | | X | X | | | X | X | X | X | | | | | | |
| | 570.0030-E | 12V - 18W | 276 | | | X | X | | | X | X | X | X | | | | | | |
| | 570.0058-E | 24V - 9W | 75 | | | X | X | | | X | X | X | X | | | | | | |
|  T-2 1/4, Bi-pin halogen lamps | 580.0012-E | 6V - 6W | 113 | | | X | X | X | X | | | X | X | X | X | | | | |
| | 580.0017-E | 6V - 10W | 200 | | | X | X | X | X | | | X | X | X | X | | | | |
| | 580.0013-E | 6V - 8W | 163 | | | 23' | 14' | 17' | 14' | 17' | 14' | 17' | 14' | 17' | 14' | | | | |
| | 580.0011-E | 6V - 12W | 240 | | | 23' | 16' | 15' | 12' | 15' | 12' | 15' | 12' | 15' | 12' | | | X | X |
| | 580.0022-E | 6V - 20W | 400 | | | | | 23' | 17' | | | 23' | 17' | 23' | 17' | | | X | X |
| | 580.0014-E | 12V - 8W | 163 | | | 24' | 17' | 16' | 13' | 16' | 13' | 16' | 13' | 16' | 13' | | | | |
| | 580.0015-E | 12V - 12W | 276 | | | X | X | 20' | 15' | 20' | 15' | 20' | 15' | 20' | 15' | | | X | X |
| | 580.0023-E | 24V - 20W | 133 | | | | | 21' | 15' | 21' | 15' | 21' | 15' | 21' | 15' | | | X | X |
|  T-2 3/4, Bi-pin halogen lamps | 580.0016-E | 12V - 14W | 300 | | | | | X | X | | | X | X | X | X | | | | |
| | 580.0027-E | 12V - 20W | 314 | | | | | 34' | 26' | 34' | 26' | 34' | 26' | 34' | 26' | | | X | X |
|  H3, Incandescent lamp wedge base | 580.0030-E | 12V - 55W | 748 | | | | | 108' | 78' | | | | X | | 104' | 74' | | | |
| | 580.0031-E | 24V - 70W | 791 | | | | | 104' | 74' | | | | X | | 108' | 74' | | | |
|  T-5, Incandescent lamp wedge base | 570.0026-E | 6V - 7.2W | 100 | X | X | | | X | X | X | X | X | X | X | | | | | |
| | 570.0016-E | 6V - 9W | 150 | X | X | 12' | 5' | 12' | - | 12' | - | 12' | - | 12' | - | | | | |
| | 570.0025-E | 12V - 9W | 138 | X | X | 14' | 8' | 18' | 13' | 18' | 13' | 18' | 13' | 18' | 13' | | | | |
| | 570.0028-E | 12V - 12W | 150 | | | | | x | x | | | X | X | X | X | | | | |
| | 570.0029-E | 12V - 18W | 264 | | | 24' | 14' | 18' | 12' | 18' | 12' | 18' | 12' | 18' | 12' | | | | |
| | 570.0045-E | 24V - 9W | 113 | X | X | 12' | 2' | 15 | 9' | 15' | 9' | 15' | 9' | 15' | 9' | | | | |
| | 570.0046-E | 24V - 18W | 240 | | | 21' | 10' | 21' | 15' | 21' | 15' | 21' | 15' | 21' | 15' | | | | |
| | 570.0012-E | 6V - 5.4W | 68 | X | X | | | X | X | | | X | X | X | X | | | | |

A= ESPACEMENT TYPE : MONTAGE À 7 PI SUR LARGEUR DE 6 PI.
B= ESPACEMENT TYPE : MONTAGE À 15 PI SUR LARGEUR DE 6 PI.

ESPACEMENT TYPE FONDÉ SUR UN CHEMIN DE 6 PI DE LARGEUR ET DES RÉFLECTANCES DE 80.50.10.